ELSEVIER

Volume 298 Numbers 1–2, 28 February 2000

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Physics

Hydrogen-induced phase transitions of $GdZn_{1-x}Mg_x$ compounds 1
H. Reule and M. Hirscher (Stuttgart, Germany)

Neutron diffraction study of magnetic ordering in the spinel oxide $Co_xMn_{1-x}Al_{2x}Fe_{2-2x}O_4$ 9
S.M. Yunus (Dhaka, Bangladesh), J.A. Fernandez-Baca (Oak Ridge, TN, USA), M.A. Asgar and F.U. Ahmed (Dhaka, Bangladesh)

Magnetic properties of GdT_2Ge_2 compounds (T=3d, 4d) 18
N.P. Duong, K.H.J. Buschow, E. Brück, J.C.P. Klaasse, P.E. Brommer (Amsterdam, The Netherlands), L.T. Tai and T.D. Hien (Hanoi, Viet Nam)

The ternary Sm–Fe–Sn system: phase diagram, structural characterisation and magnetic properties of ternary compounds . . . 26
J. Stępień-Damm, E. Galdecka (Wrocław, Poland), O.I. Bodak and B.D. Belan (L'viv, Ukraine)

Phenomenological bond length–bond number correlations for Ti, Zr and Hf: assessment and applications to metastable structures 30
G. Aurelio and A.F. Guillermet (Bariloche, Argentina)

Magnetic study of the $U_{1-x}La_xAl_4$ system 40
I. Lupsa, P. Lucaci and E. Burzo (Cluj-Napoca, Romania)

Coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42
D.C. Meyer and P. Paufler (Dresden, Germany)

Optical gap of the glasses of the system As_2S_3–Tl_2S–Sb_2S_3 47
P.E. Lippens, M.A. El Idrissi Raghni, J. Olivier-Fourcade and J.C. Jumas (Montpellier, France)

Magnetism and transport properties of HfMSi (M=Pt, Pd) and $HfRh_{1-x}Pd_xSi$ 51
S. Yashiro, Y. Nagata (Tokyo, Japan), H. Samata (Kobe, Japan) and S. Abe (Kanagawa, Japan)

Optical absorption and emission properties of Pr(III) in alkali chloroborophosphate glasses 59
L.R. Moorthy, T.S. Rao, K. Janardhanam and A. Radhapathy (Tirupati, India)

Magnetic properties of $R_3Cu_4Sn_4$ (R=Ce, Gd and Y) 68
S. Singh, S.K. Dhar (Mumbai, India), P. Manfrinetti and A. Palenzona (Genova, Italy)

Effects of substitution of uranium for yttrium on band metamagnetism of $Y(Co_{0.92}Al_{0.08})_2$ 73
N.V. Mushnikov (Ekaterinburg, Russia and Chiba-ken, Japan), A.V. Andreev (Prague, Czech Republic) and T. Goto (Chiba-ken, Japan)

A specific-heat study of some RFe_4Al_8 compounds (R=Ce, Pr, Nd, Dy, Ho, Tm) 77
I.H. Hagmusa, E. Brück, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Chemistry

Structures of the ternary iron germanium pnictides $FeGe_{1-x}Pn_x$ (Pn=P, As, Sb) 82
A.M. Mills and A. Mar (Edmonton, AB, Canada)

Low temperature synthesis of $Na_2Eu(CO_3)F_{2.5}(OH)_{0.5}$, luminescence and crystal field study of Eu^{3+} 93
E. Antic-Fidancev (Paris, France), G. Corbel and M. Leblanc (Le Mans, France)

$Sc_3B_{0.75}C_3$, a novel scandium boron carbide 99
Y. Shi, L. Bourgeois, A. Leithe-Jasper, Y. Bando and T. Tanaka (Ibaraki, Japan)

Electrochemical studies on $LaNi_{4.15}Co_{0.43}Mn_{0.40}Fe_{0.02}$ metal hydride alloy 107
M.M. Popović, B.N. Grgur, M.V. Vojnović, P. Rakin and N.V. Krstajić (Belgrade, Yugoslavia)

Hydrogenation characteristics of Ti_4Cu_2O 114
H.T. Takeshita, H. Tanaka, N. Kuriyama, T. Sakai, I. Uehara and M. Haruta (Osaka, Japan)

Elsevier Science S.A.

Structure and cation distribution of new ternary vanadates $FeMg_2V_3O_{11}$ and $FeZn_2V_3O_{11}$ 119
X. Wang, D.A. Vander Griend, C.L. Stern and K.R. Poeppelmeier (Evanston IL,, USA)

Sodium alanates for reversible hydrogen storage 125
A. Zaluska, L. Zaluski and J.O. Ström-Olsen (Montréal, Québec, Canada)

Metallurgy

The 773 K isothermal section of the phase diagram of ternary Ni–Ti–Y system 135
Y. Zhuang, Y. Luo and W. He (Guangxi, People's Republic of China)

X-ray diffraction peak broadening and lattice strain in $LaNi_5$-based alloys 138
Y. Nakamura (Osaka and Ibaraki, Japan), K. Oguro, I. Uehara (Osaka, Japan) and E. Akiba (Ibaraki, Japan)

Hydrogenation and its effect on the crystallisation behaviour of $Zr_{55}Cu_{30}Al_{10}Ni_5$ metallic glass 146
N. Ismail, M. Uhlemann, A. Gebert and J. Eckert (Dresden, Germany)

Neodymium rhodium aluminide $NdRh_4Al_{15.37}$ 153
B. Fehrmann and W. Jeitschko (Münster, Germany)

A novel boroncarbide, $Y_2B_3C_2$. X-ray single crystal and neutron powder diffraction analysis 160
P. Rogl (Wien, Austria and Gif-sur-Yvette, France) and F. Bourée (Gif-sur-Yvette, France)

Ternary compounds in the Y–Ag–Al system and their crystal structures 164
B.M. Stel'makhovych, T.M. Gumenyuk and Yu.B. Kuz'ma (Lviv, Ukraine)

The Pr–Fe–Sn ternary system: phase diagram and crystal structure of $PrFe_{0.4}Sn_2$ 169
J. Stępień-Damm (Wrocaw, Poland), O.I. Bodak, B.D. Belan (Lviv, Ukraine) and E. Galdecka (Wrocaw, Poland)

The 773 K isothermal section of the Sm–Co–Si ternary system 173
H. Wei (Hefei and Nanning, PR China), Z. Lingmin, Z. Yinghong (Nanning, PR China) and W. Ziqin (Hefei, PR China)

Pressure-induced orthorhombic distortion of UMn_2 177
A. Lindbaum, S. Heathman (Karlsruhe, Germany), T. Le Bihan (Grenoble, France) and P. Rogl (Vienna, Austria)

Structural and phase transformations in quenched and aged Zr–Os alloys 181
N.I. Taluts and A.V. Dobromyslov (Ekaterinburg, Russia)

Yb–Ni–P system 190
Yu.B. Kuz'ma, S.I. Chykhrij and S.L. Budnyk (L'viv-5, Ukraine)

Phase equilibria in the ternary systems Pr–Fe–Bi and Sm–Fe–Bi 195
O. Bodak (Czestochowa, Poland), J. Stepien-Damm and E. Galdecka (Wroclaw, Poland)

Enthalpy of formation of Al–Fe–Si alloys (τ_5, τ_{10}, τ_1, τ_9) 198
Y. Li (Chatenay-Malabry, France), P. Ochin, A. Quivy (Vitry/Seine, France), P. Telolahy and B. Legendre (Chatenay-Malabry, France)

The Cu_2Se–$CdSe$–$GeSe_2$ system 203
I.D. Olekseyuk, L.V. Piskach, O.V. Parasyuk, O.M. Mel'nyk and T.A. Lyskovetz (Lutsk, Ukraine)

New AlB_2- and $GdSi_2$-type derivative compounds in the Y–Ga–Ge system 213
G. Venturini and A. Vernière (Vandoeuvre les Nancy, France)

Materials Science

In situ neutron diffraction study of the reaction of the compounds $NdFe_{10.75}V_{1.25}$ and $NdFe_{11}Ti$ with nitrogen 220
P. Oleinek (Dresden, Germany), O. Isnard, P. Convert (Grenoble, France), K.-H. Müller, M. Loewenhaupt and L. Schultz (Dresden, Germany)

Phase transformations of the Gd–Fe–Mo ternary compounds with $ThMn_{12}$-type structure under nitrogen atmosphere 226
M. Zinkevitch, N. Mattern, B. Gebel and K. Wetzig (Dresden, Germany)

Hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237
B. Rożdżyńska-Kiełbik (Częstochowa, Poland), W. Iwasieczko, H. Drulis (Wrocław, Poland), V.V. Pavlyuk and H. Bala (Częstochowa, Poland)

Simultaneous differential scanning calorimetry and thermal desorption spectroscopy measurements for the study of the decomposition of metal hydrides 244
J.F. Fernández, F. Cuevas and C. Sánchez (Madrid, Spain)

Development of AB_2-type Zr–Ti–Mn–V–Ni–Fe hydride electrodes for Ni–MH secondary batteries 254
M.Y. Song, D. Ahn, I. Kwon, R. Lee and H. Rim (Chonju Chonbuk, South Korea)

Enhanced rates of hydrogen absorption resulting from oxidation of Pd or internal oxidation of *Pd*-Al alloys 261
D. Wang, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), R. Balasubramaniam (Kanpur, India) and K.L. Shanahan (Aiken, SC, USA)

Hydrogen effusion in cathodically charged gamma titanium aluminides 274
P.A. Sundaram (Puerto Rico, USA), W.J. Quadakkers and L. Singheiser (Jülich, Germany)

Synthesis of magnesium and titanium hydride via reactive mechanical alloying. Influence of 3d-metal addition on MgH_2 synthesize 279
J.-L. Bobet, C. Even (Pessac, France), Y. Nakamura, E. Akiba (Ibaraki, Japan) and B. Darriet (Pessac, France)

Determination of the material parameters of a melt-textured YBCO superconductor by DC magnetization analysis 285
S. Çelebi, A. Öztürk, E. Yanmaz and A.İ. Kopya (Trabzon, Turkey)

XPS studies of superconducting Mo–Ru–Rh–Pd alloy 291
J.-G. Lee, Y.J. Park, H.Y. Pyo, J.G. Kim, K.Y. Jee, W.H. Kim (Taejon, South Korea) and Y. Jeon (Jeonju, South Korea)

Magnetic and structural properties of $SmCo_{6.75-x}Fe_xZr_{0.25}$ compounds 295
I.A. Al-Omari, J. Zhou and D.J. Sellmyer (Lincoln, NE, USA)

Numerical modeling and optimization of zone refining 299
J.A. Spim Jr., M.J.S. Bernadou and A. Garcia (Campinas, SP, Brazil)

Study of a mechanochemical transformation in iron pyrite 306
J.P. Eymery (Futuroscope-Chasseneuil, France) and F. Ylli (Tirana, Albania)

The effect of particle size on the electrochemical properties of hydrogen absorbing alloy electrodes 310
T. Ise, T. Murata, Y. Hirota, M. Nogami and S. Nakahori (Tokushima, Japan)

Production of $(Nd,MM)_2(Fe,Co,Ni)_{14}B$-type sintered magnets using a binary powder blending technique 319
H.R. Madaah Hosseini (Tehran, Iran), A. Kianvash (Tabriz, Iran), M. Seyyed Reihani and H. Yoozbashi Zadeh (Tehran, Iran)

Author Index of Volume 298 325

Subject Index of Volume 298 327

Keyword list